

GEVACRIL

GEVACRIL[®]: CAST ACRYLIC TUBES
clear – coloured – FLUOR-ACRYL[®]

GEVACRIL[®]:
high-quality, innovation, transparency



your acrylic professional



GEVACRIL

CAST ACRYLIC CLEAR TUBES

External diameter Ø mm	Standard length mm	Thickness mm	Tolerances		
			External diameter	Thickness in mm	
				3-10	12-15
40	2000	3;4	+1%,-0,5%	± 1	/
44	2000	3;4;5	+1%,-0,5%	± 1	/
50	2000	3;4;5;6	+1%,-0,5%	± 1	/
60	2000/2100	3;4;5;6;7;8;10	+1%,-0,5%	± 1	/
64	2000/2100	3;4;5;6;7;8;10	+1%,-0,5%	± 1	/
70	2000/2100	3;4;5;6;7;8;10;12-15	+1%,-0,5%	± 1	± 1,5
76	2000	3;4;5;6;7;8;10;12-15	+1%,-0,5%	± 1	± 1,5
80	2000	3;4;5;6;7;8;10;12-15	+1%,-0,5%	± 1	± 1,5
90	2000	3;4;5;6;7;8;10;12-15	+1%,-0,5%	± 1	± 1,5
100	2000	3;4;5;6;7;8;10;12-15	+1%,-0,5%	± 1	± 1,5
102	2000	3;4;5;6;7;8;10	+1%,-0,5%	± 1	± 1,5
110	2000	3;4;5;6;7;8;10;12-15	± 0,5%	± 1	± 1,5
115	2000/2100	3;4;5;6;7;8;10;12-15	± 0,5%	± 1	± 1,5
120	2000/2100	3;4;5;6;7;8;10;12-15	± 0,5%	± 1	± 1,5
125	2000/2100	3;4;5;6;7;8;10;12-15	± 0,5%	± 1	± 1,5
127	2000/2100	3;4;5;6;7;8;10;12-15	± 0,5%	± 1	± 1,5
134	2000/2100	3;4;5;6;7;8;10;12-15	± 0,5%	± 1	± 1,5
139	2000/2100	3;4;5;6;7;8;10;12-15	± 0,5%	± 1	± 1,5
150	2000/2100	3;4;5;6;7;8;10;12-15	± 0,5%	± 1	± 1,5
153	2000	3,4,5,6, 8	± 0,5%	± 1	/
160	2000	3;4;5;6;7;8;10;12-15	± 0,5%	± 1	± 1,5
164	2000/2100	3;4;5;6;7;8;10;12-15	± 0,5%	± 1	± 1,5
170	2000	3;4;5;6;7;8;10;12-15	± 0,5%	± 1	± 1,5
185	2000	3;4;5;6;7;8;10;12-15	± 0,3%	± 1	± 1,5
200	2000/2100	3;4;5;6;7;8;10;12-15	± 0,3%	± 1	± 1,5
215	2000	3;4;5;6;7;8;10	± 0,5%	± 1	± 1,5
220	2000	3;4;5;6;7;8;10;12-15	± 0,3%	± 1	± 1,5
230	2000/2100	3;4;5;6;7;8;10;12-15	± 0,3%	± 1	± 1,5
240	2000/2100	3;4;5;6;7;8;10;12-15	± 0,3%	± 1	± 1,5
250	2000/2100	3;4;5;6;7;8;10;12-15	± 0,3%	± 1	± 1,5
260	2000	3;4;5;6;7;8;10;12-15	± 0,3%	± 1	± 1,5
270	2000/2100	4;5;6;8;10	± 0,3%	± 1	± 1,5
300	2000/2100	4;5;6;7;8;10;12-15	± 0,3%	± 1	± 1,5
300	4100	5	± 0,3%	± 1	/
350	2100	4;5;6;7;8;10	± 0,3%	± 1	± 1,5
400	2050	4;5;6;7;8;10	± 0,3%	± 1	± 1,5
500	2050	5;6;7;8;10	± 0,3%	± 1	± 1,5



your acrylic professional





GEVACRIL

Standard tubes are transparent; the standard length tolerance is $-0/+30$ mm

On request we can produce other diameters, thicknesses and lengths

Approvals, Food Compliance, Quality Description: available

HappyLabel Package system: labelled in white, wrapped in PE film and palletized

Transparent, translucent, fluorescent and opaque colour grades

CAST ACRYLIC CLEAR TUBES

GEVACRIL[®] performances:



Perfectly clear and colourless, excellent light transmission of 92%, more than all other plastics

Top quality surface, completely smooth, fantastic brilliancy

High break resistance, eleven times more than glass

Extreme light guiding therefore the ideal material for colour-lighted applications

Exceptionally good resistance to weather conditions

and aging

Food-contact approved

Easy to form, curve and process

Easy to glue also with solvent adhesives

Max. service temperature: $\pm 80^{\circ}\text{C}$

Approvals: EC Directives and FDA Regulations

Light: they are half the weight of silicate glass



your acrylic professional





GEVACRIL

The range:

The most complete on the European market: from OD 40 mm to OD 500 mm, up to 4100 mm in lengths

Well-rounded stock range with more than 150 different stock items

Transparent, translucent, fluorescent and opaque colour grades: an unsurpassed colour range

On request: cut to size, different colours, individual sizes

Your applications:

Point of Purchase, Point of Sales (visual communication)

Signs, displays

Aquariums, depurating filters

Automotive industry, aerospace industry

Housings, clear fluid movement, food canisters, drink Dispensers, water filters

Architectural Applications (interior decoration, hand-rails, balconies, design objects)

Furnishings

Indoor/outdoor Lighting;

TV studio design (set decoration, furnishings and eye-catch objects)

The guarantees:

Material Safety Data Sheets: available

Quality Description System: available

Approvals: Technical Properties; Food Contact; Fire Ratings

® = registered trademark

Gevacril®

Cast Continued®

are registered trademarks of
Gevacril srl, Melzo, Italy.

www.gevacril.com / info@gevacril.com



your acrylic professional

