

GEVACRIL

GEVACRIL®: XT ACRYLIC CLEAR TUBES
GEVACRIL®: XT ACRYLIC SATIN TUBES

GEVACRIL®:
high-quality, innovation, transparency



your acrylic professional



GEVACRIL

EXTRUDED ACRYLIC CLEAR TUBES

External diameter	Standard length	Packing unit	Thickness	Tolerances	
				External diameter	Thickness
Ø mm	mm	N	mm	mm	mm
5	2000	25	1	± 0,3	± 0,20
7	2000	25	1	± 0,3	± 0,20
8	2000	25	2	± 0,3	± 0,25
10 Ø	2000/4000	25	1,5/2/3	± 0,3	± 0,20/0,25/0,30
12 Ø	2000/4000	25	1/2/3	± 0,3	± 0,20/0,25/0,30
13	2000/4000	25	1,5/2	± 0,3	± 0,20/0,25/0,30
15 Ø	2000/4000	25	1/2/2,5/3	± 0,3	± 0,20/0,25/0,25/0,30
16	2000/4000	25	2	± 0,3	± 0,25
20 Ø	2000/4000	5	1/2/3	± 0,3	± 0,20/0,25/0,30
25 Ø	2000/4000	5	2/3	± 0,5	± 0,25/0,30
30 Ø	2000/4000	5	2/3/4/5	± 0,5	± 0,25/0,30/0,35/0,40
34	2000/4000	5	3	± 0,5	± 0,30
38	2000/4000	5	3	± 0,5	± 0,30
40 Ø	2000/4000	1	2/3/4/5	± 0,8	± 0,25/0,30/0,35/0,40
44	2000/4000	1	3	± 0,8	± 0,30
50 Ø	2000/4000	1	2/3/4/5	± 0,8	± 0,25/0,30/0,35/0,40
60 Ø	2000/4000	1	2/3/4/5	± 0,8	± 0,25/0,35/0,35/0,40
70 Ø	2000/4000	1	2/3/4/5	± 0,8	± 0,30/0,35/0,40/0,45
80 Ø	2000/4000	1	2/3/4/5	± 0,9	± 0,30/0,35/0,40/0,45
90 Ø	2000/4000	1	3/4/5	± 0,9	± 0,30/0,40/0,50
100 Ø	2000/4000	1	3/4/5	± 1,2	± 0,30/0,40/0,50
110 Ø	2000/4000	1	3/4/5	± 1,2	± 0,30/0,40/0,50
120 Ø	2000/4000	1	3/5	± 1,2	± 0,30/0,50
133 Ø	2000/4000	1	3/5	± 1,3	± 0,35/0,50
150 Ø	2000/4000	1	3/4/5	± 1,5	± 0,30/0,40/0,45/0,50
160 Ø	2000/4000	1	4	± 1,5	± 0,40
180 Ø	2000/4000	1	3/5/4	± 1,5	± 0,40
200 Ø	2000/4000	1	3/4/5	± 2,0	± 0,40/0,50/0,55
230	2000	1	4/5	± 2,0	± 0,50/0,55
250 Ø	2000	1	4/5	± 2,0	± 0,50/0,55



your acrylic professional





GEVACRIL

∅ = stock items. Standard tubes are transparent; the standard length is 2000/4000 mm (-0/+30 mm)

On request we can produce other diameters, thicknesses, colours and lengths

Approvals, Food Compliance, Quality Description: available

HappyLabel Package system: labelled in green, wrapped in PE film and palletized

EXTRUDED ACRYLIC SATIN TUBES

External diameter ∅ mm	Standard length mm	Packing unit	Thickness mm	Tolerances	
				External diameter	Thickness
50 ∅	2000	1	3	± 0,8 mm.	± 0,30 mm.
60 ∅	2000	1	3	± 0,8 mm.	± 0,35 mm.
70 ∅	2000	1	3	± 0,8 mm.	± 0,35 mm.
80 ∅	2000	1	3	± 0,9 mm.	± 0,35 mm.
90 ∅	2000	1	3	± 0,9 mm.	± 0,35 mm.
100 ∅	2000	1	3	± 1,2 mm.	± 0,35 mm.
110 ∅	2000	1	3	± 1,2 mm.	± 0,35 mm.
120 ∅	2000	1	3	± 1,2 mm.	± 0,35 mm.
150 ∅	2000	1	3	± 1,5 mm.	± 0,40 mm.
200 ∅	2000	1	3	± 1,5 mm.	± 0,40 mm.
250	2000	1	4	± 2,5 mm	± 0,50 mm.

∅ = stock items; the standard length is 2000 mm (-0/+30 mm)

On request we can produce other diameters, thicknesses, colours and lengths

Approvals, Food Compliance, Quality Description: available

Package system: labelled in green, wrapped in PE film and palletized



your acrylic professional





GEVACRIL

EXTRUDED ACRYLIC CLEAR TUBES EXTRUDED ACRYLIC SATIN TUBES

GEVACRIL® performances:

(Xt clear) perfectly clear and colourless, excellent light transmission of 92%

(Xt clear) very good quality surface, completely smooth, very good brilliancy

(Xt satin) velvety surface, excellent light diffusion, light guiding

(Xt satin) very good quality surface, smooth, dirt and finger-print resistant

Good break resistance

Exceptionally good resistance to weather conditions and aging

Good chemical resistance


Easy to form, curve and to process

Easy to glue also with solvent adhesives

Max. service temperature: $\pm 70^{\circ}\text{C}$

Approvals to food contact: in compliance with EC Directives and FDA Regulations

Light: they are half the weight of silicate glass





GEVACRIL


The range:

From OD 5 mm to OD 250 mm, up to 4000 mm in lengths

Wide standard range with more than 100 different stock items

Transparent, translucent, fluorescent and opal colour grades are available

On request: cut to size, non standard lengths, colours, individual sizes



Your applications:

Point of Purchase, Point of Sales;

Signs, displays;

Housings, clear fluid movement, food canisters, drinks dispensers

Architectural applications (interior decoration, hand-rails, balconies, design objects);

Furnishings; industrial lighting

Indoor/outdoor lighting;

TV studio design (set decoration, furnishings, eye-catch objects)

The guarantees:

Material Safety Data Sheets: available

Quality Description System: available

Approvals: Technical Properties; Food Contact; Fire Ratings

® = registered trademark
Gevacril®, Cast Continued®
are registered trademarks of
Gevacril srl,
Melzo, Italy.
www.gevacril.com
info@gevacril.com



your acrylic professional

